


Medicine Hat Stampede Visual Arts Show & Sale

Artist Hanging Requirements

These hanging requirements are in place to:

- Protect artwork from damage caused by inadequate or unsafe hanging hardware.
- Prevent damage to gallery walls and fixtures.
- Ensure each piece is displayed in the most professional and visually appealing way possible.

1. All artwork must be ready to hang upon registration.
2. Use a secure picture hanging wire attached to D-rings - no sawtooth hangers, thread, twine, fishing line, or eyelets.
3. D-rings should be placed 1/3 down from the top of the frame to ensure stability.
4. Wires should be taut but allow for hanging on a standard gallery hook. If you hold the art by the wire, there must be a 1.5" to 2" gap between it and the top of the frame.
5. Frames must be sturdy, clean, and free of damage.
6. Unframed canvases must have finished edges (painted or gallery-wrapped).
7. Each piece must have a completed official identification label attached to the back of the piece using the label provided online or from the brochure.
8. No wet paint or unstable media allowed.
9. The show reserves the right to refuse work that does not meet these standards.
10. The Medicine Hat Exhibition and Stampede is not liable for any theft or damage to art work during the show.



< D Rings 1/3 from top >



* Peak of picture wire
1 1/2" below top of frame

Attach label >

ADULT ENTRY:	PRICE _____
ARTIST NAME: _____	
TITLE OF WORK: _____	
EMAIL: _____	
CELL PHONE: _____	
BY SUBMITTING THIS ENTRY, I CERTIFY: THIS WORK IS AN ORIGINAL AND NOT A REPRESENTATION OF ANOTHER ARTIST'S WORK. THIS WORK IS NOT A PRODUCT OF AI.	
I AGREE THAT MEDICINE HAT EXHIBITION AND STAMPEDE IS NOT LIABLE FOR ANY THEFT OR DAMAGE TO ARTWORK DURING THE SHOW.	
INITIAL: _____	DATE: _____